VOL. 554, NOS 1+2 JOURNAL OF CHROMATOGRAPHY AUGUST 21, 1991

CONTENTS

7TH INTERNATIONAL SYMPOSIUM ON LIQUID CHROMATOGRAPHY–MASS SPECTROMETRY, SUPERCRITICAL FLUID CHROMATOGRAPHY–MASS SPECTROMETRY, CAPILLARY ELECTROPHORESIS–MASS SPECTROMETRY AND TANDEM MASS SPECTROMETRY, MONTREUX, OCTOBER 31–NOVEMBER 2, 1990

Foreword
by J. van der Greef 1

Strategies in developing interfaces for coupling liquid chromatography and mass spectrometry
by W. M. A. Niessen and U. R. Tjaden (Leiden, Netherlands) and J. van der Greef (Leiden and Zeist, Netherlands) 3

Electrospray interfacing for the coupling of ion-exchange and ion-pairing chromatography to mass spectrometry
by K. W. M. Siu, R. Guevremont, J. C. Y. le Blanc, G. J. Gardner and S. S. Berman (Ottawa, Canada) 27

Liquid chromatography–mass spectrometry with ionspray and electrospray interfaces in pharmaceutical and biomedical research
by A. P. Bruins (Groningen, Netherlands) 39

Source of band broadening in liquid chromatographic–fast atom bombardment mass spectrometric systems with precolumn addition of viscous matrix to the mobile phase
by J.-P. Gagné, A. Carrier and M. J. Bertrand (Montreal, Canada) 47

Effect of the addition of viscous matrices to the mobile phase on chromatographic performance in liquid chromatography–fast atom bombardment mass spectrometry
by J.-P. Gagné, A. Carrier and M. J. Bertrand (Montreal, Canada) 61

Nanoscale separations combined with tandem mass spectrometry
by L. J. Deterding (Research Triangle Park, NC, USA), M. A. Moseley (Research Triangle Park and Chapel Hill, NC, USA), K. B. Tomer (Research Triangle Park, NC, USA) and J. W. Jorgenson (Chapel Hill, NC, USA) 73

Approach to studying proteinase specificity by continuous-flow fast atom bombardment mass spectrometry and high-performance liquid chromatography combined with photodiode-array ultraviolet detection
by J. Silberring, P. Brostedt, M. Thörnwall and F. Nyberg (Uppsala, Sweden) 83

Application of liquid chromatography–continuous-flow fast atom bombardment mass spectrometry in environmental studies of sulfonylurea herbicides
by R. W. Reiser, A. C. Barefoot, R. F. Dietrich, A. J. Fogiel, W. R. Johnson and M. T. Scott (Wilmington, DE, USA) 91

Quantitation and linearity for particle-beam liquid chromatography–mass spectrometry
by A. Apffel (Palo Alto, CA, USA) and M. L. Perry (Blacksburg, VA, USA) 103

Some aspects of peak broadening in particle-beam liquid chromatography–mass spectrometry
by A. P. Tinke, R. A. M. van der Hoeven, W. M. A. Niessen, U. R. Tjaden and J. van der Greef (Leiden, Netherlands) 119

On-line derivatization of eluted substances in dynamic high-performance liquid chromatography–mass spectrometry through the particle-beam interface
by V. Raverdino (Meyrin, Switzerland) 125

Characterization of N-acyl-D-biotinols by particle-beam liquid chromatography–mass spectrometry. An alternative to probe mass spectrometry for thermally labile samples
by G. R. Chipman and K. A. Cruickshank (Naperville, IL, USA) 141

Increasing thermospray response for cortisol by derivatization
by J. Paulson and C. Lindberg (Lund, Sweden) 149

Use of methyl oxime derivatives to enhance structural information in thermospray high-performance liquid chromatography–mass spectrometry. Analysis of linoleic acid lipoxygenase in maize embryos
by J. Abián, M. Pagès and E. Gelpí (Barcelona, Spain) 155

Thermospray liquid chromatography–mass spectrometry for characterization of sulphate ester conjugates
by G. D. Bowers, D. M. Higton, G. R. Manchee, J. Oxford and D. A. Saynor (Ware, UK) 175

Use of thermospray liquid chromatography–mass spectrometry to aid in the identification of urinary metabolites of a novel antiepileptic drug, Lamotrigine
by M. V. Doig and R. A. Clare (Beckenham, UK) 181

Analysis of gentamicin sulfate by high-performance liquid chromatography combined with thermospray mass spectrometry
by T. A. Getek and M. L. Vestal (Houston, TX, USA) and T. G. Alexander (Washington, DC, USA) 191

Liquid chromatography–thermospray tandem mass spectrometry for identification of a heptabarbital metabolite and sample work-up artefacts
by C. E. M. Heeremans, A. M. Stijnen, R. A. M. van der Hoeven, W. M. A. Niessen, M. Danhof and J. van der Greef (Leiden, Netherlands) 205

Evaluation of an automated thermospray liquid chromatography–mass spectrometry system for quantitative use in bioanalytical chemistry
by C. Lindberg, J. Paulson and A. Blomqvist (Lund, Sweden) 215

Determination of *Catharanthus roseus* alkaloids by high-performance liquid chromatography–isotope dilution thermospray-mass spectrometry
by S. Auriola, T. Naaranlahti and S. P. Lapinjoki (Kuopio, Finland) 227

Applications of thermospray liquid chromatography–mass spectrometry in photochemical studies of pesticides in water
by G. Durand, N. de Bertrand and D. Barceló (Barcelona, Spain) 233

Polar, hydrophilic compounds in drinking water produced from surface water. Determination by liquid chromatography–mass spectrometry
by H. Fr. Schröder (Aachen, Germany) 251

Liquid chromatography–mass spectrometry in metabolic research. I. Metabolites of benzbromarone in human plasma and urine
by P. J. Arnold, R. Guserle, V. Lucknow and R. Hemmer (Ulm, Germany) and H. Grote (Monheim, Germany) 267

Use of non-volatile ion-pairing agents for liquid chromatographic–mass spectrometric analyses with a moving-belt interface
by R. E. A. Escott, P. G. McDowell and N. P. Porter (Sunbury-on-Thames, UK) 281

Simple direct liquid introduction system usable as an interface for liquid chromatography–mass spectrometry on quadrupole and magnetic-sector mass spectrometers
by J.-P. Gagné, S. G. Roussis and M. J. Bertrand (Montreal, Canada) 293

Identification of poly(ethylene terephthalate) cyclic oligomers by liquid chromatography–mass spectrometry
by H. Milon (Lausanne, Switzerland) 305

Capillary electrophoresis–atmospheric pressure ionization mass spectrometry for the characterization of peptides. Instrumental considerations for mass spectrometric detection
by I. M. Johansson, E. C. Huang and J. D. Henion (Ithaca, NY, USA) and J. Zweigenbaum (Rochester, NY, USA) 311

Nanoscale separations. Capillary liquid chromatography–mass spectrometry and capillary zone electrophoresis–mass spectrometry for the determination of peptides and proteins
by L. J. Deterding, C. E. Parker and J. R. Perkins (Research Triangle Park, NC, USA), M. A. Moseley (Research Triangle Park and Chapel Hill, NC, USA), J. W. Jorgenson (Chapel Hill, NC, USA) and K. B. Tomer (Research Triangle Park, NC, USA) 329

Pseudo-electrochromatography–mass spectrometry: a new alternative
by E. R. Verheij (Leiden and Zeist, Netherlands), U. R. Tjaden and W. M. A. Niessen (Leiden, Netherlands) and J. van der Greef (Leiden and Zeist, Netherlands) 339

Ionization mechanisms in capillary supercritical fluid chromatography–chemical ionization mass spectrometry
by R. J. Houben, P. A. Leclercq and C. A. Cramers (Eindhoven, Netherlands) 351

Author Index 359

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*).